Reply to Office Action of: 04/19/2011

## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

1. (Currently Amended) A method comprising:

drawing up a summons to a meeting in a mobile terminal of a convener of a conference call between three or more participants that form a group of participants using respective mobile terminals operating in a wireless network, to arrange a conference call, wherein the summons to the meeting is drawn up in such a way that the information regarding the conference call is found at the same points in the summons, and the summons to the meeting includes the telephone number of said convener;

sending, by the mobile terminal of the convener, the summons to the meeting from the mobile terminal of the convener to all members of the group of participants;

receiving calls, at the mobile terminal of the convener from two or more of the participants, the respective participants having made the call to the telephone number mentioned in the summons; and

automatically joining the participants to the conference call in the mobile terminal of the convener.

Reply to Office Action of: 04/19/2011

- 2. (Previously presented) A method according to claim 1, wherein the summons to the meeting is drawn up before the group of participants is formed.
- 3. (Previously presented) A method according to claim 1, wherein the group of participants is formed by selecting the participants from a list saved in a memory of the mobile terminal and/or by manually inputting the contact information of the participants and wherein the contact information comprises at least one of the following:

telephone numbers, e-mail addresses, and Session Initiation Protocol addresses.

- 4. (Previously presented) A method according to claim 1, wherein the group of participants is given a name and the group is saved in a memory of the mobile terminal of the convener for later use.
- 5. (Previously presented) A method according to claim 1, wherein a time of the conference call and other information concerning the conference call is given in the summons to the meeting.

## 6. (Cancelled)

7. (Previously presented) A method according to claim 1, wherein the summons to the meeting is formed as a character string composed of American Standard Code for Information Interchange characters.

Reply to Office Action of: 04/19/2011

- 8. (Previously presented) A method according to claim 7, wherein the summons to the meeting is sent to all members of the group of participants as a text message.
- 9. (Previously presented) A method according to claim 7, wherein the summons to the meeting is sent to all members of the group of participants as an e-mail message.
- 10. (Previously presented) A method according to claim 1, wherein, in connection with drawing up the summons to the meeting, a connection is opened to a calendar application in the mobile terminal of the convener and a reservation of time is made in the calendar application.
- 11. (Previously presented) A method according to claim 1, wherein the summons to the meeting is saved in a memory of the mobile terminal for later use.
- 12. (Previously presented) A method according to claim 2, wherein a duration of the conference call and a name of the group of participants are saved in a memory of the mobile terminal.
- 13. (Previously presented) A method according to claim 1, wherein the convener of the conference call is given a notification by the mobile terminal of the convener when a new participant has been joined to the conference call.
- 14. (Previously presented) A method according to claim 13, wherein the notification comprises an acoustic signal or a recorded voice message.

Reply to Office Action of: 04/19/2011

15. (Currently amended) A non-transitory memory comprising computer program code tangibly embodied thereon, wherein the memory is configured to store an application for a mobile terminal of a wireless network to establish a conference call between three or more participants that form a group of participants of the conference call by actions comprising:

drawing up a summons to a meeting in such a way that the information regarding the conference call is found at the same points in the summons, [[and]] wherein the summons to the meeting includes the telephone number of said convener;

sending the summons to the meeting to members of the group of participants;

receiving calls coming from two or more of the participants, the respective participants having made the call to the telephone number mentioned in the summons; and

automatically joining the participants to the conference call, wherein the memory is included in the mobile terminal.

16. (Previously presented) The memory according to claim 15, wherein the actions comprise:

forming the group of participants of the conference call by selecting participants from a list saved in the memory of the mobile terminal.

17. (Previously presented) The memory according to claim 15, wherein the actions further comprise starting the application using a starting icon produced on a display of the mobile terminal.

Reply to Office Action of: 04/19/2011

- 18. (Previously presented) The memory according to claim 15, wherein the actions further comprise starting the application from a menu of the mobile terminal.
- 19. (Previously presented) The memory according to claim 15, wherein the summons to the meeting is formed as a character string composed of American Standard Code for Information Interchange characters.
- 20. (Previously presented) The memory according to claim 19, wherein the summons to the meeting is formed as a text message.
- 21. (Previously presented) The memory according to claim 19, wherein the summons to the meeting is formed as an e-mail message.
- 22. (Previously presented) The memory according to claim 15, the actions further comprising creating a connection to a calendar application in the mobile terminal for making a reservation of time in the calendar application.
- 23. (Previously presented) The memory according to claim 15, the actions further comprising separating the received summons to the meeting from other messages that have arrived.
- 24. (Previously presented) The memory according to claim 15, the actions further comprising picking up a telephone number from the received summons to the meeting and automatically making a call to the number picked up.
- 25. (Previously presented) The memory according to claim 15, the actions further comprising saving a duration of the

Reply to Office Action of: 04/19/2011

conference call and a name of the conference call in the memory of the mobile terminal.

- 26. (Previously presented) The memory according to claim 15, the actions further comprising giving a notification to a convener of the conference call when a new participant has been joined to the conference call.
- 27. (Currently amended) A mobile terminal comprising a display and memory and an arrangement configured to arrange a wireless conference call between three or more participants that form a group of participants of the conference call, further comprising an application loaded into the memory of the mobile terminal, which causes the mobile terminal to:

draw up a summons to a meeting in such a way that the information regarding the conference call is found at the same points in the summons, and wherein the summons to the meeting includes by including the telephone number of the convener;

send the summons to the meeting to members of the group of participants;

receive calls coming from two or more of the participants, the respective participants having made the call to the telephone number mentioned in the summons; and

automatically join the participants to the conference call.

28. (Previously presented) A mobile terminal according to claim 27, further comprising a starter configured to start the application using a starting icon brought to the display of the mobile terminal.

Reply to Office Action of: 04/19/2011

- 29. (Previously presented) A mobile terminal according to claim
- 27, further comprising a starter configured to start the application from a menu of the mobile terminal.
- 30. (Previously presented) A non-transitory storage medium configured to tangibly store thereon a computer program configured to load an application into a memory of a mobile terminal of a convener of a conference call, the application configured to establish the conference call between three or more participants comprising a group of participants of the conference call, where execution of the computer program results in operations that comprise, in the mobile terminal:

drawing up the summons to the meeting in such a way that the information regarding the conference call is found at the same points in the summons, and wherein the summons to the meeting includes the telephone number of the convener;

sending the summons to the meeting from the mobile terminal to all members of the group of participants; and

receiving calls from two or more of the participants, the respective participants having made the call to the telephone number mentioned in the summons; and

automatically joining the participants to the conference call.

31. (Previously presented) The memory according to claim 15, wherein the actions comprise forming the group of participants of the conference call by inputting contact information of the participants to the application program manually, the contact information comprising at least one

Reply to Office Action of: 04/19/2011

of telephone numbers, e-mail addresses, and Session Initiation Protocol addresses.

32. (Currently amended) A method comprising:

arranging a conference call between three or more participants that form a group of participants using respective mobile terminals operating in a wireless network, in which method a mobile terminal of a convener of the conference call performs:

drawing up a summons to a meeting in such a way that the information regarding the conference call is found at the same points in the summons, said wherein the summons to the meeting comprising includes the telephone number of the convener;

sending the summons to the meeting from the mobile terminal of the convener to all members of the group of participants; and

receiving calls from two or more of the participants in the mobile terminal, the respective participants having made the call to the telephone number mentioned in the summons; and

automatically joining the participants to the conference call.

33. (Currently amended) An apparatus comprising:

a processor, and

memory including computer program code,

Reply to Office Action of: 04/19/2011

the memory and the computer program code configured to, with the processor, cause the apparatus to:

draw up, at a mobile terminal, a summons to a meeting to arrange a conference call between three or more participants that form a group of participants, wherein the summons is drawn up in such a way that the information regarding the conference call is found at the same points in the summons; and wherein the summons to the meeting includes the telephone number of the convener;

send the summons to the meeting from the apparatus, via the mobile terminal, to all members of the group of participants; and

receive calls, at the mobile terminal, from two or more of the participants, the respective participants having made the call to the telephone number mentioned in the summons; and

automatically join the participants to the conference call in the mobile terminal.

- 34. (Previously presented) A method according to claim 5, wherein an agenda of the conference call is given in the summons to the meeting.
- 35. (New) A method according to claim 1, wherein the summons to the meeting is drawn up in such a way that the information regarding the conference call is found at the same points in the summons.